

HOLDER FOR 3 MODULES, METAL



Figure similar

product brand name		SIRIUS ACT
Product designation		Commanding and signaling devices
Design of the product		Holder
Manufacturer article number		
<ul style="list-style-type: none"> of the supplied holder 		3SU1550-0AA10-0AA0

Actuator:		
Design of the operating mechanism		3-way without module
Number of contact modules		0

Holder:		
Material of the holder		Metal

Display:		
Number of LED modules		0

General technical data:		
Product function		
<ul style="list-style-type: none"> positive opening 		No
Product component		
<ul style="list-style-type: none"> diode lamp transformer Light source series resistor 		No No No No
Insulation voltage		
<ul style="list-style-type: none"> Rated value 	V	500
Degree of pollution		3
Vibration resistance		

<ul style="list-style-type: none"> • acc. to IEC 60068-2-6 		10 ... 500 Hz: 5g
Surge voltage resistance Rated value	kV	6
Mechanical service life (switching cycles)		
<ul style="list-style-type: none"> • typical 		10
Equipment marking		
<ul style="list-style-type: none"> • acc. to DIN EN 61346-2 		U
<ul style="list-style-type: none"> • acc. to DIN EN 81346-2 		U

Auxiliary circuit:

Number of NC contacts		
<ul style="list-style-type: none"> • for auxiliary contacts 		0
Number of NO contacts		
<ul style="list-style-type: none"> • for auxiliary contacts 		0
Number of CO contacts		
<ul style="list-style-type: none"> • for auxiliary contacts 		0

Connections/ Terminals:

Tightening torque		
<ul style="list-style-type: none"> • for grounding 	N·m	0.8 ... 1

Ambient conditions:

Ambient temperature		
<ul style="list-style-type: none"> • during operation 	°C	-25 ... +70
<ul style="list-style-type: none"> • during storage 	°C	-40 ... +80

Installation/ mounting/ dimensions:

Mounting type		
<ul style="list-style-type: none"> • of modules and accessories 		Front plate mounting
Height	mm	40
Width	mm	30
Shape of the installation opening		round

Certificates/ approvals:

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU15500AA100AA0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)


<http://support.automation.siemens.com/WW/view/en/3SU15500AA100AA0/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU15500AA100AA0&lang=en



last modified:



09.03.2015